

# Infectious Disease Syndromatic Menus

Swab Today, Diagnosis By Morning\*

## Not Typically Detected By Culture

- ◆ Fungal
- ◆ Protozoal
- ◆ Slow Growing
- ◆ Streptococcus Species
- ◆ Anaerobe
- ◆ Not Typically Tested by Culture

### RESPIRATORY TRACT INFECTION PLUS INCLUDING COVID-19 - RESPI



Acinetobacter baumannii  
Adenovirus HAdV-B  
Aspergillus flavus, fumigatus, niger, terreus  
Bordetella pertussis, parapertussis, bronchiseptica  
Candida albicans, glabrata, parapsilosis, tropicalis  
Chlamydia pneumoniae  
Coronavirus (229E, NL63, OC43, and HKU1)  
COVID-19 Coronavirus (SARS-CoV-2)

Enterobacter aerogenes, cloacae  
Enterovirus (pan)  
Enterovirus D68  
Escherichia coli  
Haemophilus influenzae  
Human metapneumovirus  
Influenza virus A, B  
Klebsiella pneumoniae, oxytoca  
Legionella pneumophila  
Moraxella catarrhalis  
Mycoplasma pneumoniae

Parainfluenza virus (types 1, 2, 3, 4)  
Proteus mirabilis, vulgaris  
Pseudomonas aeruginosa  
Respiratory syncytial virus  
Rhinovirus A, C  
Rhizopus spp., Mucor spp.  
Serratia marcescens  
Staphylococcus aureus  
Streptococcus agalactiae<sup>1</sup>  
Streptococcus pneumoniae

#### Antibiotic Resistance Genes Below

Streptococcus pyogenes<sup>2</sup>

**Add-on Only**  
Candida auris RESPI506  
Chlamydia trachomatis RESPI342  
Mycobacterium avium-intracellulare, kansasii RESPI356  
Mycobacterium tuberculosis RESPI505  
Neisseria gonorrhoeae RESPI484

**SAMPLE TYPE:** Nasopharynx Swab, Cough Sputum Swab, Throat Swab

### COMMON RESPIRATORY BACTERIAL/VIRAL INFECTION - RBVBP



Adenovirus HAdV-B  
Chlamydia pneumoniae  
COVID-19 Coronavirus (SARS-CoV-2)  
Enterovirus D68

Haemophilus influenzae  
Human metapneumovirus  
Influenza virus A, B  
Klebsiella pneumoniae, oxytoca

Moraxella catarrhalis  
Mycoplasma pneumoniae  
Respiratory syncytial virus  
Staphylococcus aureus

#### Antibiotic Resistance Genes Below

Streptococcus pneumoniae

**SAMPLE TYPE:** Nasopharynx Swab, Cough Sputum Swab, Throat Swab

### VIRAL RESPIRATORY INFECTION - RVIRO



Adenovirus HAdV-B  
Coronavirus (229E, NL63, OC43, and HKU1)  
COVID-19 Coronavirus (SARS-CoV-2)

Enterovirus (pan)  
Enterovirus D68  
Human metapneumovirus

Influenza virus A, B  
Parainfluenza virus (types 1, 2, 3, 4)  
Respiratory syncytial virus

#### Does Not Include Antibiotic Resistance Genes

Rhinovirus A, C

**SAMPLE TYPE:** Nasopharynx Swab, Cough Sputum Swab, Throat Swab

### BACTERIAL PNEUMONIA - RBACP



Acinetobacter baumannii  
Bordetella pertussis, parapertussis, bronchiseptica  
Chlamydia pneumoniae

Haemophilus influenzae  
Klebsiella pneumoniae, oxytoca  
Legionella pneumophila  
Moraxella catarrhalis

Mycoplasma pneumoniae  
Pseudomonas aeruginosa  
Staphylococcus aureus  
Streptococcus pneumoniae

#### Antibiotic Resistance Genes Below

Streptococcus pyogenes<sup>2</sup>

**SAMPLE TYPE:** Cough Sputum Swab

### INFLUENZA, COVID-19 & RSV - SMRPP



COVID-19 Coronavirus (SARS-CoV-2)

Influenza virus A, B

Respiratory syncytial virus

#### Does Not Include Antibiotic Resistance Genes

**SAMPLE TYPE:** Nasopharynx Swab, Cough Sputum Swab, Throat Swab

### PHARYNGITIS\* - PHGTS



Adenovirus  
Bordetella pertussis, parapertussis, bronchiseptica  
Epstein-Barr virus<sup>3</sup>  
Fusobacterium nucleatum, necrophorum

Haemophilus influenzae  
Moraxella catarrhalis  
Parainfluenza virus (types 1, 2, 3, 4)  
Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii

#### Antibiotic Resistance Genes: dfr (A1, A5), sul (1, 2), ermB, C; mefA, and tet B, tet M only

Streptococcus agalactiae<sup>1</sup>  
Streptococcus anginosus, constellatus, intermedius<sup>4</sup>  
Streptococcus mitis, sanguis, mutans<sup>5</sup>  
Streptococcus pneumoniae

Streptococcus pyogenes<sup>2</sup>

**SAMPLE TYPE:** Throat Swab

**For COVID-19 Coronavirus (SARS-CoV-2)**  
This product has not been FDA cleared or approved by FDA, but has been authorized by FDA under an EUA for use by authorized laboratories; This product has been authorized only for the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens; and The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated or the authorization is revoked sooner.

#### Antibiotic Resistance Genes

VanA, VanB<sup>6</sup>  
ermB, C, mefA<sup>7</sup>  
SHV, KPC Groups<sup>8</sup>

dfr (A1, A5), sul (1, 2)<sup>9</sup>  
mecA<sup>10</sup>  
qnrA1, qnrA2, qnrB2<sup>11</sup>

tet B, tet M<sup>12</sup>  
IMP, NDM, VIM Groups<sup>13</sup>  
ACT, MIR, FOX, ACC Groups<sup>14</sup>

OXA-48-51<sup>15</sup>  
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups<sup>16</sup>



All Menus



Customer Care: 866-287-3218

V1206-031422 © Copyright 2022 AIT Laboratories, a HealthTrackRx Company

<sup>1</sup>Group B Strep (GBS)

<sup>2</sup>Group A Strep

<sup>3</sup>Human Herpesvirus 4, EBV

<sup>4</sup>Viridans anginosus group

<sup>5</sup>Viridans group

<sup>6</sup>Vancomycin

<sup>7</sup>Macrolide, Lincosamide, Streptogramin

<sup>8</sup>Class A beta-lactamase

<sup>9</sup>Trimethoprim/Sulfamethoxazole

<sup>10</sup>Methicillin

<sup>11</sup>Fluoroquinolone

<sup>12</sup>Tetracycline

<sup>13</sup>Class B metallo-beta-lactamase

<sup>14</sup>AmpC beta-lactamase

<sup>15</sup>Class D oxacillinase

\*All ID menu with exception of GI, Typing, Onychomycosis, GBS, Otolaryngology, Ophthalmology, Wound, Nail/Paronychia, MRSA and Pharyngitis. These test menus processed at Denton, TX lab. Results within 24 hours of receipt at Denton Lab.

# Infectious Disease Syndromatic Menus

Swab Today, Diagnosis By Morning\*

## Not Typically Detected By Culture

- ◆ Fungal
- ◆ Protozoal
- ◆ Slow Growing
- ◆ Streptococcus Species
- ◆ Anaerobe
- ◆ Not Typically Tested by Culture

### GENITO/STI - GNSTD



Acinetobacter baumannii  
Actinomyces israelii  
Atopobium vaginae  
Bacteroides fragilis  
BVAB 2, 3 (bacterial vaginosis associated bacteria 2, 3); Mobiluncus spp.  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
Chlamydia trachomatis  
Citrobacter freundii  
Enterobacter aerogenes, cloacae

Enterococcus faecalis, faecium  
Escherichia coli  
Gardnerella vaginalis  
Haemophilus ducreyi  
Herpes simplex virus 1, 2<sup>1</sup>  
Klebsiella (Calymmatobacterium) granulomatis  
Klebsiella pneumoniae, oxytoca  
Megasphaera (Types 1, 2)  
Morganella morganii  
Mycoplasma genitalium, hominis

Neisseria gonorrhoeae  
Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii  
Proteus mirabilis, vulgaris  
Serratia marcescens  
Staphylococcus aureus  
Staphylococcus spp.<sup>2</sup>  
Streptococcus agalactiae<sup>3</sup>  
Streptococcus pyogenes<sup>4</sup>  
Treponema pallidum<sup>5</sup>

#### Antibiotic Resistance Genes Below

Trichomonas vaginalis  
Ureaplasma urealyticum, parvum

#### Add-on Only

Candida auris GNSTD506  
High Risk HPV types 16, 39, 26, 18, 51, 53, 31, 52, 66, 33, 58, 73, 35, 59, 82, 45, 56, 68, 67, 69, 70  
GNSTD493

**SAMPLE TYPE:** Urine Swab, Prostatic Fluid, Penile Swab, Anorectal Swab, Vaginal Swab, Pelvic Abscess Material, Endometrial Sampling, Cervical Brushing, Genital Region Ulcer Swab, Endocervical Brushing, Urethral Swab

### SEXUALLY TRANSMITTED INFECTION - NWSTI



Atopobium vaginae  
Chlamydia trachomatis  
Gardnerella vaginalis

Herpes simplex virus 1, 2<sup>1</sup>  
Mycoplasma genitalium, hominis  
Neisseria gonorrhoeae

Trichomonas vaginalis  
Ureaplasma urealyticum, parvum

#### Antibiotic Resistance Genes Below

#### Add-on Only

High Risk HPV types 16, 39, 26, 18, 51, 53, 31, 52, 66, 33, 58, 73, 35, 59, 82, 45, 56, 68, 67, 69, 70  
NWSTI493

**SAMPLE TYPE:** Urine Swab, Vaginal Swab, Genital Region Ulcer Swab, Prostatic Fluid, Pelvic Abscess Material, Endocervical Brushing, Penile Swab, Endometrial Sampling, Urethral Swab, Anorectal Swab, Cervical Brushing

### VAGINITIS - BVSTD



Atopobium vaginae  
Bacteroides fragilis  
BVAB 2, 3 (bacterial vaginosis associated bacteria 2, 3); Mobiluncus spp.  
Enterococcus faecalis, faecium

Escherichia coli  
Mycoplasma genitalium, hominis  
Staphylococcus aureus  
Streptococcus agalactiae<sup>3</sup>  
Trichomonas vaginalis

Ureaplasma urealyticum, parvum

#### Add-on Only

BVSTD368 **Candida albicans, glabrata, parapsilosis, tropicalis**

#### Antibiotic Resistance Genes Below

Candida auris BVSTD506  
High Risk HPV types 16, 39, 26, 18, 51, 53, 31, 52, 66, 33, 58, 73, 35, 59, 82, 45, 56, 68, 67, 69, 70  
BVSTD493

**SAMPLE TYPE:** Vaginal Swab

### STI-VAGINITIS - BGSTD



Atopobium vaginae  
Bacteroides fragilis  
BVAB 2, 3 (bacterial vaginosis associated bacteria 2, 3); Mobiluncus spp.  
Chlamydia trachomatis

Enterococcus faecalis, faecium  
Escherichia coli  
Gardnerella vaginalis  
Herpes simplex virus 1, 2<sup>1</sup>  
Mycoplasma genitalium, hominis

Neisseria gonorrhoeae  
Staphylococcus aureus  
Streptococcus agalactiae<sup>3</sup>  
Trichomonas vaginalis  
Ureaplasma urealyticum, parvum

#### Antibiotic Resistance Genes Below

#### Add-on Only

Candida albicans, glabrata, parapsilosis, tropicalis BGSTD368  
Candida auris BGSTD506  
High Risk HPV types 16, 39, 26, 18, 51, 53, 31, 52, 66, 33, 58, 73, 35, 59, 82, 45, 56, 68, 67, 69, 70  
BGSTD493

**SAMPLE TYPE:** Urine Swab, Anorectal Swab, Vaginal Swab, Pelvic Abscess Material, Endometrial Sampling, Cervical Brushing, Genital Region Ulcer Swab, Endocervical Brushing, Urethral Swab

### CHLAMYDIA, GONORRHEA & TRICHOMONAS - STDSN



Chlamydia trachomatis

Neisseria gonorrhoeae

Trichomonas vaginalis

#### Does Not Include Antibiotic Resistance Genes

**SAMPLE TYPE:** Urine Swab, Vaginal Swab, Genital Region Ulcer Swab, Prostatic Fluid, Pelvic Abscess Material, Endocervical Brushing, Penile Swab, Endometrial Sampling, Urethral Swab, Anorectal Swab, Cervical Brushing

### GENITAL ULCER - GUGST



Chlamydia trachomatis  
Haemophilus ducreyi

Herpes simplex virus 1, 2<sup>1</sup>  
Klebsiella (Calymmatobacterium)

granulomatis  
Treponema pallidum<sup>5</sup>

#### Antibiotic Resistance Genes:

dfr (A1, A5), sul (1, 2), ermB, C; mefA, and tet B, tet M only

**SAMPLE TYPE:** Genital Region Ulcer Swab

### HERPES SIMPLEX VIRUS TYPING\* - SBTPG



Herpes simplex virus 1

Herpes simplex virus 2

#### Does Not Include Antibiotic Resistance Genes

**SAMPLE TYPE:** Penile Swab, Anorectal Swab, Vaginal Swab, Genital Region Ulcer Swab

### GROUP B STREP\* - GBSTP



Streptococcus agalactiae<sup>3</sup>

#### Does Not Include Antibiotic Resistance Genes

**SAMPLE TYPE:** Vaginal Swab, Anorectal Swab

#### Antibiotic Resistance Genes

VanA, VanB<sup>8</sup>  
ermB, C; mefA<sup>7</sup>  
SHV, KPC Groups<sup>9</sup>

dfr (A1, A5), sul (1, 2)<sup>9</sup>  
mecA<sup>10</sup>  
qnrA1, qnrA2, qnrB2<sup>11</sup>

tet B, tet M<sup>12</sup>  
IMP, NDM, VIM Groups<sup>13</sup>  
ACT, MIR, FOX, ACC Groups<sup>14</sup>

OXA-48-51<sup>15</sup>  
CTX-M1 (15), M2 (2), M9 (9), M8/25  
Groups<sup>9</sup>



All Menus



Customer Care: 866-287-3218

V1206-031422 © Copyright 2022 AIT Laboratories, a HealthTrackRx Company

<sup>1</sup>HSV-1, HSV-2

<sup>2</sup>Coagulase negative species: S. epidermidis, S. haemolyticus, S. lugdunensis, S. saprophyticus

<sup>3</sup>Group B Strep (GBS)

<sup>4</sup>Group A Strep  
<sup>5</sup>Syphilis  
<sup>6</sup>Vancomycin  
<sup>7</sup>Macrolide, Lincosamide,

Streptogramin

<sup>8</sup>Class A beta-lactamase  
<sup>9</sup>Trimethoprim/Sulfamethoxazole  
<sup>10</sup>Methicillin  
<sup>11</sup>Fluoroquinolone

<sup>12</sup>Tetracycline

<sup>13</sup>Class B metallo-beta-lactamase  
<sup>14</sup>AmpC beta-lactamase  
<sup>15</sup>Class D oxacillinase

\*All ID menu with exception of GI, Typing, Onychomycosis, GBS, Otolaryngology, Ophthalmology, Wound, Nail/Paronychia, MRSA and Pharyngitis. These test menus processed at Denton, TX lab. Results within 24 hours of receipt at Denton Lab.

# Infectious Disease Syndromatic Menus

Swab Today, Diagnosis By Morning\*

## Not Typically Detected By Culture

- ◆ Fungal
- ◆ Streptococcus Species
- ◆ Protozoal
- ◆ Anaerobe
- ◆ Slow Growing
- ◆ Not Typically Tested by Culture



### URINARY TRACT INFECTION PLUS - URINE

**Acinetobacter baumannii**  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
 Citrobacter freundii  
 Enterobacter aerogenes, cloacae  
**Enterococcus faecalis, faecium**  
**SAMPLE TYPE:** Urine Swab, Catheter Swab

Escherichia coli  
 Klebsiella pneumoniae, oxytoca  
 Morganella morganii  
**Mycoplasma genitalium, hominis**  
 Proteus mirabilis, vulgaris  
 Pseudomonas aeruginosa

Serratia marcescens  
 Staphylococcus aureus  
 Staphylococcus spp.<sup>1</sup>  
**Streptococcus agalactiae**<sup>2</sup>  
**Streptococcus pyogenes**<sup>3</sup>  
 Trichomonas vaginalis

#### Antibiotic Resistance Genes Below

**Ureaplasma urealyticum, parvum**

**Add-on Only**  
**Candida auris** URINE506



### URINARY TRACT INFECTION - UBASE

**Acinetobacter baumannii**  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
 Citrobacter freundii

Enterobacter aerogenes, cloacae  
**Enterococcus faecalis, faecium**  
 Escherichia coli  
 Klebsiella pneumoniae, oxytoca

Morganella morganii  
 Proteus mirabilis, vulgaris  
 Pseudomonas aeruginosa  
 Staphylococcus aureus

#### Antibiotic Resistance Genes Below

Staphylococcus spp.<sup>1</sup>  
**Streptococcus agalactiae**<sup>2</sup>

**SAMPLE TYPE:** Urine Swab, Catheter Swab



### GASTROINTESTINAL INFECTION\* - GSTRO

Adenovirus HAdV-F, HAdV-G  
 Astrovirus, Sapovirus G1, G2  
**Bacteroides fragilis**  
 Campylobacter jejuni, coli  
**Clostridioides difficile (toxins A, B)**  
 Clostridium perfringens, novyi, septicum  
**Cryptosporidium hominis, parvum, felis**  
**Cyclospora cayentanensis, Cystoisospora belli**  
**Dientamoeba fragilis, Entamoeba histolytica**  
**Listeria monocytogenes**

Enterobacter aerogenes, cloacae  
**Enterococcus faecalis, faecium**  
 Enteropathogenic E. coli (EPEC)  
 Enterotoxigenic E. coli (ETEC)  
 Enterovirus A, B, C  
 Enterovirus D68  
**Giardia intestinalis**  
**Helicobacter pylori**  
**Listeria monocytogenes**

**Microsporidium (Enterocytozoon bieneusi, Encephalitozoon intestinalis)**  
 Norovirus (Genogroup 1, 2)  
 Rotavirus A, B  
**Salmonella enterica**  
 Shiga toxin-producing E. coli (STEC)  
 Shiga toxin-producing E. coli 0157 (STEC 0157)  
 Vibrio parahaemolyticus, vulnificus, cholerae

#### Antibiotic Resistance Genes Below

**Yersinia enterocolitica**

**Add-on Only**  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
 GASTRO506  
**Candida auris** GASTRO368

**SAMPLE TYPE:** Rectal Swab, Stool Swab



### OPHTHALMOLOGY INFECTION\* - OPTIC

**Acanthamoeba castellanii, polyphaga; Vermamoeba (Hartmannella) vermiformis**  
**Acinetobacter baumannii**  
 Adenovirus  
**Alternaria spp., Curvularia lunata, Penicillium spp.**  
**Aspergillus flavus, fumigatus, niger, terreus**  
 Bacillus cereus, thuringiensis  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
**Chlamydia trachomatis**  
 Citrobacter freundii  
**Corynebacterium jeikeium, striatum, tuberculostearicum**

**Cutibacterium (Propionibacterium) acnes**  
 Cytomegalovirus<sup>4</sup>  
 Demodex folliculorum  
 Enterobacter aerogenes, cloacae  
**Enterococcus faecalis, faecium**  
 Enterovirus (pan)  
 Epstein-Barr virus<sup>5</sup>  
 Escherichia coli  
**Fusarium oxysporum, solani**  
 Fusobacterium nucleatum, necrophorum  
 Haemophilus influenzae  
 Herpes simplex virus 1, 2<sup>6</sup>  
 Klebsiella pneumoniae, oxytoca

**Microsporidia (Encephalitozoon hellum, cuniculi, Nosema (Vittaforma) ocularum)**  
 Moraxella catarrhalis  
 Morganella morganii  
**Mycobacterium spp.**  
**Neisseria gonorrhoeae**  
 Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii  
 Proteus mirabilis, vulgaris  
 Pseudomonas aeruginosa  
**Rhizopus spp., Mucor spp.**  
 Staphylococcus aureus  
 Staphylococcus spp.<sup>1</sup>

#### Antibiotic Resistance Genes Below

**Streptococcus agalactiae**<sup>2</sup>  
**Streptococcus anginosus, constellatus, intermedius**<sup>7</sup>  
**Streptococcus mitis, sanguis, mutans**<sup>8</sup>  
**Streptococcus pneumoniae**  
**Streptococcus pyogenes**<sup>3</sup>  
**Toxoplasma gondii**  
 Varicella zoster virus<sup>9</sup>

**SAMPLE TYPE:** Eye Swab, Vitreous Fluid, Lacrimal Fluid



### OTOLARYNGOLOGY INFECTION\* - AURAL

**Acinetobacter baumannii**  
 Adenovirus  
**Alternaria spp., Curvularia lunata, Penicillium spp.**  
**Aspergillus flavus, fumigatus, niger, terreus**  
**Bordetella pertussis, parapertussis, bronchiseptica**  
**Candida albicans, glabrata, parapsilosis, tropicalis**  
**Chlamydia trachomatis**  
**Corynebacterium jeikeium, striatum, tuberculostearicum**

**Cutibacterium (Propionibacterium) acnes**  
 Cytomegalovirus<sup>4</sup>  
 Enterobacter aerogenes, cloacae  
**Enterococcus faecalis, faecium**  
 Enterovirus (pan)  
 Epstein-Barr virus<sup>5</sup>  
 Escherichia coli  
**Fusarium oxysporum, solani**  
 Fusobacterium nucleatum, necrophorum  
 Haemophilus influenzae  
 Herpes simplex virus 1, 2<sup>6</sup>  
 Klebsiella pneumoniae, oxytoca

Moraxella catarrhalis  
**Neisseria gonorrhoeae**  
 Parainfluenza virus (types 1, 2, 3, 4)  
 Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii  
 Proteus mirabilis, vulgaris  
 Pseudomonas aeruginosa  
**Rhizopus spp., Mucor spp.**  
 Staphylococcus aureus  
**Streptococcus agalactiae**<sup>2</sup>  
**Streptococcus anginosus, constellatus, intermedius**<sup>7</sup>

#### Antibiotic Resistance Genes Below

**Streptococcus mitis, sanguis, mutans**<sup>8</sup>  
**Streptococcus pneumoniae**  
**Streptococcus pyogenes**<sup>3</sup>  
 Varicella zoster virus<sup>9</sup>

**SAMPLE TYPE:** Nasopharynx swab, Throat swab, Ear swab, Tympanocentesis fluid

#### Antibiotic Resistance Genes

VanA, VanB<sup>10</sup>  
 ermB, C, mefA<sup>11</sup>  
 SHV, KPC Groups<sup>12</sup>

dfr (A1, A5), sul (1, 2)<sup>13</sup>  
 mecA<sup>14</sup>  
 qnrA1, qnrA2, qnrB2<sup>15</sup>

tet B, tet M<sup>16</sup>  
 IMP, NDM, VIM Groups<sup>17</sup>  
 ACT, MIR, FOX, ACC Groups<sup>18</sup>

OXA-48-5<sup>19</sup>  
 CTX-M1 (15), M2 (2), M9 (9), M8/25  
 Groups<sup>20</sup>



All Menus

<sup>1</sup>Coagulase negative species: S. epidermidis, S. haemolyticus, S. lugdunensis, S. saprophyticus  
<sup>2</sup>Group B Strep (GBS)  
<sup>3</sup>Group A Strep  
<sup>4</sup>Human Herpesvirus 5, CMV

<sup>5</sup>Human Herpesvirus 4, EBV  
<sup>6</sup>HSV-1, HSV-2  
<sup>7</sup>Viridans anginosus group  
<sup>8</sup>Viridans group  
<sup>9</sup>Human Herpesvirus 3, VZV

<sup>10</sup>Vancomycin  
<sup>11</sup>Macrolide, Lincosamide, Streptogramin  
<sup>12</sup>Class A beta-lactamase  
<sup>13</sup>Trimethoprim/Sulfamethoxazole  
<sup>14</sup>Methicillin

<sup>15</sup>Fluoroquinolone  
<sup>16</sup>Tetracycline  
<sup>17</sup>Class B metallo-beta-lactamase  
<sup>18</sup>AmpC beta-lactamase  
<sup>19</sup>Class D oxacillinase

\*All ID menu with exception of GI, Typing, Onychomycosis, GBS, Otolaryngology, Ophthalmology, Wound, Nail/Paronychia, MRSA and Pharyngitis. These test menus processed at Denton, TX Lab. Results within 24 hours of receipt at Denton Lab.

# Infectious Disease Syndromatic Menus

Swab Today, Diagnosis By Morning\*

## Not Typically Detected By Culture

- ◆ Fungal
- ◆ Protozoal
- ◆ Slow Growing
- ◆ Streptococcus Species
- ◆ Anaerobe
- ◆ Not Typically Tested by Culture

### WOUND\* - WOUND



#### Bacterial/Viral

*Acinetobacter baumannii*  
*Bacteroides fragilis, vulgatus*  
*Burkholderia cepacia, pseudomallei*  
*Citrobacter freundii*  
*Clostridium perfringens, novyi, septicum*  
*Corynebacterium jeikeium, striatum, tuberculo-stearicum*  
*Cutibacterium (Propionibacterium) acnes*  
*Enterobacter aerogenes, cloacae*  
*Enterococcus faecalis, faecium*  
*Escherichia coli*  
*Finegoldia magna*  
*Haemophilus influenzae*

Herpes simplex virus 1, 2<sup>1</sup>  
*Klebsiella pneumoniae, oxytoca*  
*Mycobacterium abscessus, chelonae, fortuitum*  
*Mycobacterium avium-intracellulare, kansasii*  
*Mycobacterium marinum, ulcerans*  
*Mycoplasma genitalium, hominis*  
*Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii*  
*Proteus mirabilis, vulgaris*  
*Pseudomonas aeruginosa*  
*Salmonella enterica*  
*Serratia marcescens*  
*Staphylococcus aureus*

*Staphylococcus spp.*<sup>2</sup>  
*Stenotrophomonas maltophilia*  
*Streptococcus agalactiae*<sup>3</sup>  
*Streptococcus pneumoniae*  
*Streptococcus pyogenes*<sup>4</sup>  
*Varicella zoster virus*<sup>5</sup>  
*Vibrio cholerae, parahaemolyticus, vulnificus*  
**Fungal**  
*Aspergillus flavus, fumigatus, niger, terreus*  
*Blastomyces dermatitidis*  
*Candida albicans, glabrata, parapsilosis, tropicalis*  
*Epidermophyton floccosum*  
*Fusarium oxysporum, solani*

#### Antibiotic Resistance Genes Below

*Malassezia furfur, restricta, sympodialis, globosa*  
*Microsporium audouinii, canis, gypseum*  
*Sporothrix schenckii*  
*Trichophyton mentagraphophytes/ interdigitale, rubrum, soudanense, terrestre, tonsurans, verrucosum, violaceum*  
*Trichosporon mucoides, asahii*

**Add-on Only**  
*Candida auris* WOUND506

**SAMPLE TYPE:** Wound Swab, Joint Aspiration, Wound Tissue

### NAIL/PARONYCHIA, HAIR\* - NAILP



#### Bacterial/Viral

*Bacteroides fragilis, vulgatus*  
*Enterobacter aerogenes, cloacae*  
*Enterococcus faecalis, faecium*  
*Escherichia coli*  
*Klebsiella pneumoniae, oxytoca*  
*Peptostreptococcus anaerobius, asaccharolyticus, magnus, prevotii*  
*Proteus mirabilis, vulgaris*

*Pseudomonas aeruginosa*  
*Serratia marcescens*  
*Staphylococcus aureus*  
*Staphylococcus spp.*<sup>2</sup>  
*Streptococcus agalactiae*<sup>3</sup>  
*Streptococcus pyogenes*<sup>4</sup>  
**Fungal**  
*Aspergillus flavus, fumigatus, niger, terreus*

*Blastomyces dermatitidis*  
*Candida albicans, glabrata, parapsilosis, tropicalis*  
*Epidermophyton floccosum*  
*Fusarium oxysporum, solani*  
*Malassezia furfur, restricta, sympodialis, globosa*  
*Microsporium audouinii, canis, gypseum*  
*Trichophyton mentagraphophytes/*

#### Antibiotic Resistance Genes Below

*interdigitale, rubrum, soudanense, terrestre, tonsurans, verrucosum, violaceum*  
*Trichosporon mucoides, asahii*

**Add-on Only**  
*Candida auris* NAILP506

**SAMPLE TYPE:** Nail Clipping, Paronychial Tissue, Hair

### ONYCHOMYCOSIS\* - FNGNL



*Aspergillus flavus, fumigatus, niger, terreus*  
*Blastomyces dermatitidis*  
*Candida albicans, glabrata, parapsilosis, tropicalis*  
*Epidermophyton floccosum*  
*Fusarium oxysporum, solani*

*Malassezia furfur, restricta, sympodialis, globosa*  
*Microsporium audouinii, canis, gypseum*  
*Pseudomonas aeruginosa*  
*Staphylococcus aureus*  
*Trichophyton mentagraphophytes/*

*interdigitale, rubrum, soudanense, terrestre, tonsurans, verrucosum, violaceum*  
*Trichosporon mucoides, asahii*

#### Antibiotic Resistance Genes Below

**Add-on Only**  
*Candida auris* FNGNL506

**SAMPLE TYPE:** Nail Clipping

### MRSA\* - MRSAO



*Staphylococcus aureus*

#### Antibiotic Resistance Gene: mecA Only

**SAMPLE TYPE:** Nasopharynx Swab

#### Antibiotic Resistance Genes

VanA, VanB<sup>9</sup>  
 ermB, C, mefA<sup>7</sup>  
 SHV, KPC Groups<sup>8</sup>

dfr (A1, A5), sul (1, 2)<sup>9</sup>  
 mecA<sup>10</sup>  
 qnrA1, qnrA2, qnrB2<sup>11</sup>

tet B, tet M<sup>12</sup>  
 IMP, NDM, VIM Groups<sup>13</sup>  
 ACT, MIR, FOX, ACC Groups<sup>14</sup>

OXA-4B--5<sup>15</sup>  
 CTX-M1 (15), M2 (2), M9 (9), M8/25  
 Groups<sup>8</sup>



All Menus



Customer Care: 866-287-3218

V1206-031422 © Copyright 2022 AIT Laboratories, a HealthTrackRx Company

<sup>1</sup>HSV-1, HSV-2  
<sup>2</sup>Coagulase negative species: *S. epidermidis, S. haemolyticus, S. lugdunensis, S. saprophyticus*

<sup>3</sup>Group B Strep (GBS)  
<sup>4</sup>Group A Strep  
<sup>5</sup>Human Herpesvirus 3, VZV  
<sup>6</sup>Vancomycin  
<sup>7</sup>Macrolide, Lincosamide,

Streptogramin  
<sup>8</sup>Class A beta-lactamase  
<sup>9</sup>Trimethoprim/Sulfamethoxazole  
<sup>10</sup>Methicillin  
<sup>11</sup>Fluoroquinolone

<sup>12</sup>Tetracycline  
<sup>13</sup>Class B metallo-beta-lactamase  
<sup>14</sup>AmpC beta-lactamase  
<sup>15</sup>Class D oxacillinase

\*All ID menu with exception of GI, Typing, Onychomycosis, GBS, Otolaryngology, Ophthalmology, Wound, Nail/Paronychia, MRSA and Pharyngitis. These test menus processed at Denton, TX lab. Results within 24 hours of receipt at Denton Lab.